

Standard Equipment

T-Bar Controls
 ALL TACH™ Attachment System (Universal-Style)
 Manual Controlled Hydrostatic Drive
 ROPS/FOPS - Level II
 Independent Hydraulic Reservoir With Cooler
 Operator Restraint Bar with Adjustable Armrests
 POWER VIEW™ Boom Load Arm
 Self-Levelling Hydraulic Lift Action
 Adjustable Seat Belt
 Mechanical Lift Cylinder Lock
 Skid Plates With Cleanout
 Vandalism Lock Provisions - Rear Engine Cover & Door
 TOP & Rear Window, Sliding Side Windows
 Dual Lift, Tilt Cylinders With NITROSTEEL™ Cylinder Rods
 Front Auxiliary Hydraulics With Flat-Faced Coupler
 Front Frame Cleanout
 Hourmeter-Electric
 Fuel Gauge, Water Temperature Gauge
 Warning Lights – Engine & Hydraulic Oil Temperature
 Battery Charge Indicator, Battery Disconnect Switch
 Ignition, Low Oil Pressure Buzzer
 Visual Indicator on Air Cleaner & Hydraulic Filter
 Foot & Hand Throttle
 Intake Manifold Heater Starter Assist (Manual)
 HYDRALOC™ System – Brakes & Interlock For Starter, Lift, Tilt Cylinders And Wheel Drives
 Operating Lights - 2 - Front, 2 Rear
 Zero Maintenance Axles, 6 Bolts
 Entry/Exit Grab Handles
 Spark Arrestor Muffler
 Headliner And Acoustical Interior
 Horn
 CE- Certification
 Warranty: 12 Months



SPECIFICATIONS	SL 3840	Engine	SL 3840
Overall Operation Height-Fully Raised	3.546 mm	YANMAR, Diesel	3TNV88-XMS2
Height to Hinge Pin-Fully Raised	2.746 mm	Rated output	35 HP/ 26,1 kW
Overall Height-Top of ROPS	1.786 mm	@	2.600 rpm
Ground Clearance	152 mm	Cylinder / Displacement	3 / 1.640 cm³
Overall Length (with Bucket)	2.896 mm	Fuel Capacity	38,9 Lt.
Overall Length (less Bucket)	2.258 mm		
Wheel Base	876 mm	Hydraulics	
Dump Reach	579 mm	Loader circuit pump	52 Lt./min
Rollback at Ground	29°	Loader circuit pressure	190 bar
Dump Angle	42°	Reservoir Capacity	30 Lt.
Overall Width-(less Bucket) / narrow position	1.229 mm	Maximum Travel Speed	0 - 10,3 km/h
Clearance Circle-Rear	1.380 mm		
Clearance Circle-Front (less Bucket)	1.120 mm	Standard Buckets	Width / Volume
Clearance Circle-Front (with Bucket)	1.763 mm	Standard Bucket	1.380 mm/0,28 cm³
		Utility Bucket	1.380 mm/0,35 cm³
		Light Material Bucket	1.380 mm/0,43 cm³
Weights	SL 3840		
Operating Weight	1.814 kg	Backhoe Attachment	
Tip Capacity	952 kg	Loading Height	2.000 mm
Operating Capacity	476 kg	Reach from pivot	2.830 mm
Operating Capacity with counter weight	533 kg	Digging Depth	2.200 mm
Breakout Force	1.270 kg		



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

BASE UNIT

SL 3840 SX T-Bar

(w/o W/T set and attachments)

Yanmar engine, type 3TNV88-XMS2

3 cylinders, watercooled

26,1 kW / 35 HP at 2.600 rpm

System pump: 52 l/min

1814

7384000

18.140,00

SL 3840 SX Hand & Foot control

(w/o W/T set and attachments)

Yanmar engine, type 3 TNV88-XMS2

3 cylinders, watercooled

26,1 kW / 35 HP at 2.600 rpm

System pump: 52 l/min

1814

7384001

18.140,00

WHEEL/TIRE SETS

W/T set 27.00 x 8.50 x 15.00 HD - 8 - Ply

Reversible rims (1.226 mm / 1.475 mm)

94

7808243

1.060,00

W/T set 27.00 x 10.50 x 15.00 HD - 8 - Ply

Reversible rims (1.320 mm / 1.475 mm gesamt)

129

7808245

1.190,00

W/T set 10.00 x 16.50 HD - 8 - Ply

Reversible rims (1.320 mm / 1.475 mm gesamt)

129

7808246

1.210,00

Tire on rim 27 x 8.5 x 15.00 HD - 8 - Ply

Reversible rims (1.226 mm / 1.475 mm)

24

7808282

280,00

Tire on rim 27.00 x 10.5 x 15.00 HD - 8 - Ply

Reversible rims (1.320 mm / 1.475 mm gesamt)

32

7808283

310,00

Tire on Rim 10.00 x 16.50 HD - 8 - Ply

Reversible rims (1.320 mm / 1.475 mm gesamt)

32

7808285

310,00

BUCKETS

Standard bucket 1.250 mm

Volume: 0.25 cbm

94

7736001

700,00

Standard bucket 1.250 mm with teeth

Volume: 0.25 cbm

98

7736004

700,00

Standard bucket 1.380 mm

Volume: 0.28 cbm

115

7736002

720,00

Standard bucket 1.380 mm with teeth

Volume: 0.28 cbm

126

7736005

750,00

Standard bucket 1.480 mm

Volume: 0.30 cbm

132

7736061

720,00



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

BUCKETS

Standard bucket 1.480 mm with teeth

Volume: 0.30 cbm

157

7736062

770,00

Utility bucket 1.380 mm

Volume: 0.38 cbm

120

7736011

830,00

Light material bucket 1.380 mm

Volume: 0.43 cbm

115

7736013

880,00

Light material bucket 1.520 mm

Volume: 0.48 cbm

180

7736014

910,00

Construction/Demolition Bucket 1.380 mm

Volume: 0.28 cbm

125

7736008

830,00

Fertilizer/Grain bucket 1.380 mm

Volume: 0.47 cbm

115

7736016

on request

Dutch stone bucket 1.380 mm

Volume: 0.47 cbm

141

7736022

1.430,00

Dutch stone bucket 1.380 mm with teeth

Volume: 0.47 cbm

146

7736023

1.560,00

4-in-1-bucket 1.380 mm

Volume: 0.24 cbm

215

7736018

2.640,00

4-in-1-bucket 1.380 mm with teeth

Volume: 0.24 cbm

218

7736020

2.770,00

High tip bucket 1.380 mm

Increases dumping height around 990 mm

Volume: 0.38 cbm

253

7736033

on request

Side tip bucket 1.380 mm (left)

Volume: 0.26 cbm

208

7736034

on request

Side tip bucket 1.380 mm (right)

Volume: 0.26 cbm

208

7736035

on request

Concrete mixing bucket 1.200 mm

Volume: 225 l

350

7738035

4.740,00

BUCKETS ACCESSORIES

Set of weld on hooks

(To convert to GEHL-style quick tach)

15

7802891

290,00

FORKS & GRAPPELS

Pallet fork 1.220 mm

Tine length: 1.000 mm

126

7736024

1.000,00

Price / Technical changes reserved, all Prices plus VAT.



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

FORKS & GRAPPELS

Farm fork 1.380 mm	104	7736026	1.090,00
Farm fork 1.520 mm	117	7736027	1.110,00
Farm fork with grapple 1.250 mm	151	7736028	2.240,00
Farm fork with grapple 1.380 mm	176	7736029	2.320,00
Industrial grapple bucket 1.380 mm	253	7736031	2.590,00

BACKHOE ATTACHMENTS

Backhoe attachment BHS 235 S Digging depth: 2.200 mm Working reach: 2.950 mm Working height: 1.870 mm Mechanic side-shift	420	7232535	10.400,00
Bucket 300 mm	40	7200540	600,00
Bucket 400 mm	52	7200541	630,00
Bucket 500 mm	60	7200542	on request

EARTH AUGER

EAL 500 XL Earth auger drive unit Chain drive: 19-57 l/min Max. bit diameter: 457 mm Max. Torque at 170 bar: 885 NM	38	7503087	1.940,00
EAL 750 Earth auger drive unit Chain drive: 25-75 l/min Max. bit diameter: 457 mm Max. Torque at 170 bar: 1.263 NM	76	7251760	2.330,00
EAL 1200 Earth auger drive unit Chain drive: 37-75 l/min Max. bit diameter: 600 mm Max. Torque at 170 bar: 1.984 NM	93	7251200	2.870,00
Mounting frame for earth auger	35	7700213	700,00
Standard auger 100 mm	19	7501208	260,00
Standard auger 150 mm	22	7502838	290,00
Standard auger 230 mm	34	7502566	440,00
Standard auger 300 mm	46	7502567	520,00
Standard auger 380 mm	57	7502568	660,00
Standard auger 450 mm	74	7502569	720,00
Standard auger 600 mm	91	7502571	740,00
Standard auger 600 mm tree/root auger bit	86	7502575	1.180,00

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

EARTH AUGER

Auger extension 500 mm	9	7250775	250,00
Auger extension 1.000 mm	18	7250780	390,00
Hydraulic hoses kit	19	7700295	170,00

HYDRAULIC BREAKERS

(WITHOUT HOSES AND COUPLERS)

G 95 silent withmoil point chisel	100	7212686	3.970,00
Hydraulic hoses kit with hydraulic couplers	8	7700291	300,00
G 160 silent withmoil point chisel	160	7212687	5.600,00
Hydraulic hoses kit with hydraulic couplers	12	7700292	300,00
Mounting plate for hydraulic breaker To mount on a skid steer loader	150	7223652	960,00

CHISELS

Moil point chisel G 95
Flat chisel 90° G 95
Moil point chisel G 160
Flat chisel 90° G 160

to be purchased through the spare parts department
to be purchased through the spare parts department
to be purchased through the spare parts department
to be purchased through the spare parts department

SWEEPERS

Front-End-Sweeper KM 150-600 Working width: 1.500 mm (straight) Brush diameter: 600 mm Plastic & steel brushes, mixed Mechanical swivel rh + lh	140	7830151	3.670,00
Side broom 700 mm Hydraulic driven	32	7830502	1.650,00
Mud collector For KM 150-600 / hydraulic controlled	275	7830505	600,00
Watertank kit with spraying device app.100 l, incl. 12V membran-electropump	32	7890406	1.550,00
Front-End-Sweeper KM 1501 Working width: 1.500 mm (straight) Brush diameter: 600 mm Plastic & steel brushes, mixed Mud collector - hydraulic controlled Self-swiveling brushes	220	7830152	5.490,00



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

SWEEPERS

Side broom 700 mm

Hydraulic driven

32

7830507

1.650,00

Watertank kit with spraying device

app.100 l, incl. 12V membran-electropump

32

7890406

1.550,00

BROOM BUCKET

Broom bucket 1.370 mm

Sweeps and collects in one operation

120

7736038

3.240,00

BLADES

Dozer blade 1.480 mm

Manual swivel

120

7736036

2.570,00

Dozer blade 1.480 mm

Hydraulic swivel

120

7736037

2.900,00

Rubber edge for dozer blade

on request

HORTICULTURE/AGRICULTURE

Front end scarifier 1.350 mm

130

7802562

1.520,00

Tree undercutting blade 600 mm

170

7802564

1.620,00

SPECIAL FILTERS

Air pre cleaner

9

7810737

100,00

Exhaust air purifier

9

7810772

1.020,00

TANDEM TRACKS

Steel tracks including wheel - spacer kits

(27.00 x 10.50 x 15.00)

120

7736041

2.790,00

Plastic tracks including wheel - spacer kits

(27.00 x 10.50 x 15.00)

120

7736042

3.670,00

ROPS ALL WEATHER ENLOSURES

Cabin door assembly with wiper

Factory installed

32

7808254

1.260,00

Cabin door assembly with wiper

For field installation

32

7808265

870,00

Cabin heater kit

Factory installed

9

7810736

980,00



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

ROPS ALL WEATHER ENLOSURES

Cabin heater kit

For field installation

9

7810739

630,00

MISCELLANEOUS

Back-up alarm kit T-Bar

Factory installed

1

7810700

220,00

Back-up alarm kit Hand & Foot control

Factory installed

1

7810701

220,00

Back-up alarm kit

For field installation

2

7810740

170,00

Hydraulic self leveling kit

Factory installed

11

7810693

420,00

Hydraulic self leveling kit

For field installation

For SL 3840 SN 3401 and up

11

7811204

290,00

Hydraulic self leveling kit

For field installation

11

7810709

290,00

Counter weight kit

Factory installed

100

7810741

560,00

Counter weight kit

For field installation

100

7808384

520,00

Engine auto shutdown

For field installation

7

7808270

230,00

Set of crane lifting hooks 4-point

Factory installed

10

7650094

1.620,00

Crane lifting hooks 1-point

Factory installed

34

7810561

360,00

Crane lifting hooks 1-point

For field installation

34

7810834

290,00

Beacon light

Factory installed

7

7736057

350,00

Beacon light

For field installation

4

7808279

280,00

Kit/Tilt cylinder lock valve

0

7810721

190,00

German road homologation (TÜV)

Factory installed

2

7200499

1.670,00

Price / Technical changes reserved, all Prices plus VAT.



Skidsteer Loader

SL 3840

ex works Neuenkirchen

Weight / kg

Order-No.

PSTG

MISCELLANEOUS

Custom non standard paint

0

7803453

1.100,00

Chassis, loadarm, axles and wheel assemblies only -

One requested color

All other parts - ROPS, engine cover, rear door, small parts -

Standard GEHL gray color

Custom non standard paint

0

7807186

1.330,00

Complete unit and wheels - painted one requested color -

Parts & accessories remain standard GEHL gray color